

## TOWN OF PARKER - RECOMMENDED PLANTS

### DECIDUOUS SHADE TREES

<i>Acer platanoides</i> 'Columnare'	Columnar Norway Maple	35' ht. X 15' spr.	Dark green leaves. Yellow fall color. Tolerates air pollution.
<i>Acer platanoides</i> 'Emerald Queen'	Emerald Queen Norway Maple	50' ht. X 40' spr.	Ascending branches. Dark green leaves. Bright yellow fall color.
<i>Acer platanoides</i> 'Fairview'	Fairview Maple	45' ht. X 35' spr.	Upright growth habit. Reddish leaves in spring, green in summer.
<i>Acer platanoides</i> 'Pond'	Emerald Lustre Maple	50' ht. X 40' spr.	Red tinged new leaves mature to glossy deep green w/wavy margins.
<i>Acer platanoides</i> 'Schwedleri'	Schwedler Maple	45' ht. X 40' spr.	Purplish-red leaves in spring, green in summer, yellow in fall.
<i>Aesculus glabra</i>	Ohio Buckeye	35' ht. X 30' spr.	Five dark green leaflets. White flowers in early spring.
<i>Aesculus</i> × <i>carnea</i> 'Briotii'	Red Horsechestnut	45' ht. X 30' spr.	Ruby-red blooms in late spring. Usually fruitless.
<i>Aesculus</i> × <i>carnea</i> 'Ft McNair'	Ft. McNair Horsechestnut	45' ht. X 30' spr.	Clusters of pink flowers with a yellow throat. Five leaflet leaves.
<i>Betula nigra</i>	River Birch	45' ht. X 35' spr.	Cinnamon colored exfoliating bark. Borer resistant. Yellow fall color.
<i>Carpinus betulus</i> 'Fastigiata'	Pyramidal European Hornbeam	35' ht. X 25' spr.	Dense pyramidal to oval shape. Steel-gray 'muscled' trunk. Yellow fall color.
<i>Catalpa speciosa</i>	Western Catalpa*	50' ht. X 30' spr.	Large heart-shaped leaves. White flowers in late June. Long seed pods.
<i>Celtis occidentalis</i>	Western Hackberry*	60' ht. X 40' spr.	Bright green leaves. Corky bark. Yellow fall color. Pollution tolerant.
<i>Cladrastis kentuckea</i> (lutea)	American Yellowwood	35' ht. X 35' spr.	Smooth gray bark. Fragrant white flowers. Flat seedpods. Yellow fall color.
<i>Corylus colurna</i>	Turkish Filbert*	40' ht. X 25' spr.	Broad pyramidal shape. Ornamental catkins in early spring. Yellow fall color.
<i>Ginkgo biloba</i>	Ginkgo	50' ht. X 25' spr.	Unusual, fan shaped leaves. Slow growing. Yellow fall color.
<i>Gleditsia triacanthos inermis</i> 'Impcole'	Imperial Honeylocust*	35' ht. X 25' spr.	Thornless. Small leaves. Rounded crown. Yellow fall color.
<i>Gleditsia triacanthos inermis</i> 'Shademaster'	Shademaster Honeylocust*	50' ht. X 35' spr.	Thornless. Small leaves. Upright branches. Yellow fall color.
<i>Gleditsia triacanthos inermis</i> 'Skycole'	Skyline Honeylocust*	50' ht. X 35' spr.	Thornless. Small leaves. Pyramidal form. Yellow fall color.
<i>Gymnocladus dioica</i>	Kentucky Coffeetree*	60' ht. X 50' spr.	Compound leaves. Picturesque in winter. White flowers. Yellow in fall.
<i>Liquidambar styraciflua</i>	Sweetgum	65' ht. X 50' spr.	Star shaped leaves. Pyramidal form. Red-orange fall color.
<i>Liriodendron tulipifera</i>	Tuliptree	70' ht. X 40' spr.	Unusual leaves. Greenish-yellow tulip-shaped flowers in spring.
<i>Ostrya virginiana</i>	American Hophornbeam	40' ht. X 25' spr.	Hop-like fruit adds interest in late summer. Golden-yellow fall color.
<i>Platanus</i> × <i>acerifolia</i> 'Bloodgood'	London Planetree	60' ht. X 40' spr.	Tolerant of city conditions. Bark is mottled and flaking. Yellow fall color.
<i>Platanus occidentalis</i>	Sycamore	70' ht. X 50' spr.	Tolerant of city conditions. Bark is mottled and flaking. Yellow fall color.
<i>Quercus alba</i> × <i>robur</i> 'Crimschmidt'	Crimson Spire Oak	45' ht. X 15' spr.	Columnar growth habit. Dark green leaves turn red in the fall.
<i>Quercus bicolor</i>	Swamp White Oak*	50' ht. X 40' spr.	Broad rounded form. Lobed leaves turn russet-red in fall. Small acorns
<i>Quercus buckleyi</i>	Texas Red Oak	55' ht. X 35' spr.	Large, deeply lobed bright green leaves turn red in the fall.
<i>Quercus macrocarpa</i>	Bur Oak*	65' ht. X 45' spr.	Corky twigs. Fringe-capped acorn. Yellow-russet in fall. Air pollution tolerant
<i>Quercus muehlenbergii</i>	Chinkapin Oak*	45' ht. X 45' spr.	Broad rounded crown. Sharply lobed leaves. Yellow to russet fall color.
<i>Quercus robur</i>	English Oak*	50' ht. X 40' spr.	Yellow-brown fall color. Dry leaves persist through winter. Small acorns.
<i>Quercus robur</i> 'Fastigiata'	Columnar English Oak	50' ht. X 20' spr.	Medium green leaves. Dry leaves and acorns persist into winter.

<i>Quercus rubra</i>	Northern Red Oak	50' ht. X 40' spr.	Sharply lobed leaves. Red to bronze fall color. Fast growing.
<i>Quercus</i> × <i>macdanielli</i> 'Clemons'	Heritage Oak*	60' ht. X 40' spr.	A cross between Bur Oak and English Oak. Glossy dark green leaves.
<i>Tilia americana</i>	American Linden	75' ht. X 50' spr.	Large green leaves. Fragrant flowers in early summer. Yellow fall color.
<i>Tilia americana</i> 'Redmond'	Redmond Linden	45' ht. X 30' spr.	Pyramidal form. Large glossy heart-shaped leaves. Fragrant summer flowers.
<i>Tilia cordata</i> 'Glenleven'	Glenleven Linden	45' ht. X 30' spr.	Open, fast growing tree. Small leaves, fragrant summer flowers.
<i>Tilia cordata</i> 'Greenspire'	Greenspire Linden	40' ht. X 30' spr.	Dense, conical crown. Small leaves, fragrant summer flowers.
<i>Tilia tomentosa</i> 'Sterling Silver'	Sterling Silver Linden	45' ht. X 30' spr.	Dark green leaves with silver undersides. Fragrant summer flowers.
<i>Ulmus japonica</i> × <i>wilsoniana</i> 'Morton'	Accolade Elm	60' ht. X 40' spr.	Vase shaped. Glossy green foliage. Yellow fall color. Fast growing.
<i>Ulmus</i> 'Morton Glossy'	Triumph Elm	55' ht. X 45' spr.	Upright oval-vase shaped. Glossy green foliage. Yellow fall color. Fast grower
<i>Ulmus parvifolia</i> 'Emer II'	Allee Elm	65' ht. X 45' spr.	Dark green leaves. Exfoliating bark. Yellow fall color. Moderately fast grower

## ORNAMENTAL TREES

<i>Acer campstre</i>	Hedge Maple	25' ht. X 25' spr.	Densely rounded form. Glossy green foliage. Yellow fall color. Slow growing
<i>Acer ginnala</i>	Amur Maple/Ginnala Maple*	20' ht. X 15' spr.	Deeply lobed leaves. Fragrant white flowers. Orange-red in fall. Irregular form
<i>Acer ginnala</i> 'Flame'	Flame Amur Maple*	20' ht. X 15' spr.	Bright green leaves turn fiery red in fall. Red winged seeds late in summer.
<i>Acer glabrum</i>	Rocky Mountain Maple	15' ht. X 10' spr.	Light gray bark. Red winged seeds, leaf stems, winter buds. Yellow fall color.
<i>Acer grandidentatum</i>	Bigtooth Maple*	30' ht. X 25' spr.	Rose-colored winged seeds. 5-lobed dark green leaves turn yellow-red in fall.
<i>Acer platanoides</i> 'Crimson Sentry'	Crimson Sentry Maple	25' ht. X 15' spr.	Leaves emerge red and change to a rich maroon color. Reddish fall color
<i>Acer tataricum</i>	Tatarian Maple*	20' ht. X 20' spr.	Rosy-red winged seeds. Dark green leaves turn yellow to red in the fall.
<i>Acer tataricum</i> 'GarAnn'	Hotwings™ Tatarian Maple	20' ht. X 18' spr.	Red winged seeds in summer. Red-orange fall color. Broad irregular form.
<i>Acer triflorum</i>	Three Flowered Maple	25' ht. X 25' spr.	Cinnamon-red exfoliating bark. Red to gold fall color. Well-drained soils.
<i>Alnus tenuifolia</i>	Thinleaf Alder	20' ht. X 15' spr.	Red-brown bark. Yellow fall color. Cone-like fruits in winter.
<i>Amelanchier canadensis</i>	Shadblow Serviceberry	18' ht. X 15' spr.	White fragrant flowers before leaves. Purple-black fruit. Yellow-red fall color
<i>Amelanchier</i> × <i>grandiflora</i> 'Autumn Brilliance'	Autumn Brilliance Serviceberry	18' ht. X 15' spr.	White fragrant flowers in April. Purple-black fruit. Orange-red fall color.
<i>Amelanchier</i> × <i>grandiflora</i> 'Robin Hill'	Robin Hill Serviceberry	20' ht. X 15' spr.	Pink flower buds. White blooms. Small fruit. Yellow to red fall color.
<i>Betula occidentalis</i>	Rocky Mountain Birch	20' ht. X 20' spr.	Cherry-brown bark with white lenticels. Yellow fall color. Broadly pyramidal
<i>Carpinus caroliniana</i>	American Hornbeam	25' ht. X 25' spr.	Slate gray 'muscle' bark. Slow growing. Yellow to scarlet fall color.
<i>Chionanthus virginicus</i>	White Fringe Tree	15' ht. X 15' spr.	Fragrant, white, fringed blooms. Blue grape-like fruit in summer.
<i>Crataegus ambigua</i>	Russian Hawthorn*	20' ht. X 20' spr.	White blooms. Red fruit persist into winter. Thorns. Yellow-red fall color.
<i>Crataegus crus-galli</i> var. <i>inermis</i>	Thornless Cockspur Hawthorn*	20' ht. X 20' spr.	White flowers. Small red fruit persist into winter. Red-orange fall color.
<i>Crataegus laevigata</i> 'Crimson Cloud'	Crimson Cloud Hawthorn	20' ht. X 15' spr.	Crimson flowers. Small red fruit persist into winter. Few thorns.
<i>Crataegus phaenopyrum</i>	Washington Hawthorn*	20' ht. X 15' spr.	White flowers. Red fruit persist into winter. Red fall color. Thorns.
<i>Crataegus viridis</i> 'Winter King'	Winter King Hawthorn	25' ht. X 20' spr.	White flowers. Small red persistent fruit. Purple-red fall color. Few thorns.
<i>Crataegus</i> × <i>lavallei</i>	Lavalle Hawthorn	25' ht. X 10' spr.	Upright, open branched. White flowers. Orange-red fruit. Reddish fall color.
<i>Crataegus</i> × <i>mordenensis</i> 'Toba'	Toba Hawthorn	15' ht. X 15' spr.	Fragrant double white blooms. Red persistent fruit. Yellowish bark. Thornless

<i>Koelreuteria paniculata</i>	Goldenrain Tree*	30' ht. X 25' spr.	Yellow flowers in summer. Lantern-like papery capsules. Yellow fall color.
<i>Maackia amurensis</i>	Amur Maackia	25' ht. X 30' spr.	Fragrant white summer flowers. Glossy amber-brown bark peels w/maturity
<i>Malus</i> 'Cardinal'	Cardinal Crabapple	20' ht. X 25' spr.	Bright red flowers. Purple-red tinged foliage. Small dark red fruit.
<i>Malus</i> 'Centurion'	Centurion Crabapple	25' ht. X 15' spr.	Rose-red blooms. 5/8" cherry-red fruit. Leaves emerge reddish turn bronze.
<i>Malus</i> 'Coralburst'	Coralburst Crabapple	12' ht. X 12' spr.	Rose-pink semi-double blooms. 1/2" bronze fruit. Dense, rounded form.
<i>Malus</i> 'David'	David Crabapple	14' ht. X 14' spr.	Pinkish-white flowers. 3/8" bright red fruit. Compact, rounded form.
<i>Malus</i> 'Donald Wyman'	Donald Wyman Crabapple	15' ht. X 20' spr.	Masses of white flowers in spring. Small persistent red fruit. Green foliage.
<i>Malus</i> 'Harvest Gold'	Harvest Gold Crabapple	30' ht. X 15' spr.	White flowers one week later than most. Golden-yellow persistent fruit.
<i>Malus</i> 'Indian Magic'	Indian Magic Crabapple	18' ht. X 18' spr.	Deep pink blooms. 1/2" red-orange persistent fruit. Orange-red fall color.
<i>Malus</i> 'Indian Summer'	Indian Summer Crabapple	18' ht. X 20' spr.	Rose-red flowers in spring. 3/4" bright red fruit. Orange fall color.
<i>Malus</i> 'Lancelot'	Lancelot	10' ht. X 8' spr.	Dark pink buds. White blooms. 3/8" gold persistent fruit. Yellow in fall.
<i>Malus</i> 'Louisa'	Louisa Crabapple	15' ht. X 15' spr.	Umbrella shaped weeper. Pink blooms. 3/8" golden persistent fruit.
<i>Malus</i> 'Molten Lava'	Molten Lava Crabapple	15' ht. X 12' spr.	Semi-weeping habit. White flowers. 1/2" red-orange persistent fruit.
<i>Malus</i> 'Prairifire'	Prairifire Crabapple	20' ht. X 20' spr.	Red-pink blooms. Red-green foliage orange in fall.Red-purple persistent fruit
<i>Malus</i> 'Profusion'	Profusion Crabapple	18' ht. X 18' spr.	Purple-pink flowers. 1/2" maroon persistent fruit. Bronze-green leaves.
<i>Malus</i> 'Radiant'	Radiant Crabapple	20' ht. X 20' spr.	Red-purple foliage turns dark green. Deep pink blooms. 1/2" bright red fruit.
<i>Malus</i> 'Robinson'	Robinson Crabapple	25' ht. X 25' spr.	Deep pink blooms. 1/2" dark red persistent fruit. Bronze-green leaves.
<i>Malus</i> 'Sentinel'	Sentinel Crabapple	20' ht. X 12' spr.	Large clusters of white flowers. Persistent deep red fruit.
<i>Malus</i> 'Thunderchild'	Thunderchild Crabapple	18' ht. X 18' spr.	Rose-pink blooms. 1/2" purple-red persistent fruit. Deep purple leaves.
<i>Prunus cerasus</i> 'Montmorency'	Montmorency Cherry	18' ht. X 15' spr.	White flowers in spring. Bright red edible fruit. Yellow-red fall color.
<i>Prunus maackii</i>	Amur Chokecherry	30' ht. X 25' spr.	Fragrant white flowers. Small black fruit. Slightly exfoliating red-brown bark.
<i>Prunus nigra</i> 'Princess Kay'	Princess Kay Plum	18' ht. X 13' spr.	Dark bark w/lenticels. Fragrant double white flowers. Red-orange fall color
<i>Pyrus ussuriensis</i> 'Prairie Gem'	Prairie Gem Pear	25' ht. X 20' spr.	Oval to rounded form. White flowers before or w/leaves. Yellow fall color.
<i>Ptelea trifoliata</i>	Wafer Ash*	15' ht. X 15' spr.	Fragrant greenish June flowers. Persistent elm-like wafers. Yellow fall color
<i>Quercus gambelii</i>	Gambel Oak*	20' ht. X 15' spr.	Glossy dark green leaves turn yellow-orange in fall. Tan acorns. Slow grower
<i>Quercus undulata</i>	Wavyleaf Oak*	15' ht. X 13' spr.	Thick leathery blue-green leaves typically with wavy margins.
<i>Sorbus intermedia</i>	Swedish Whitebeam	30' ht. X 25' spr.	Oak-like leaves. White flowers in spring. Orange berries. Russet fall color
<i>Syringa reticulata</i>	Japanese Tree Lilac*	20' ht. X 18' spr.	Fragrant, large creamy white flower clusters. Red-brown bark. Yellow in fall .
<i>Syringa reticulata</i> 'Ivory Silk'	Ivory Silk Japanese Lilac	20' ht. X 18' spr.	Fragrant, creamy white flowers in June. Dark reddish-brown exfoliating bark

## EVERGREEN TREES

<i>Abies concolor</i>	White Fir	50' ht. X 30' spr.	Pyramidal evergreen with soft blue-green needles.
<i>Juniperus monosperma</i>	One Seed Juniper*	25' ht. X 12' spr.	Blue-green foliage.Fibrous red-brown bark.Small dark blue fruit.Slow grower
<i>Juniperus scopulorum</i>	Rocky Mountain Juniper*	25' ht. X 10' spr.	Scaly green-gray foliage. Fibrous red-brown bark. Dark blue fruit.
<i>Juniperus virginiana</i>	Eastern Red Cedar*	35' ht. X 15' spr.	Medium green in summer turns dusty-green to russet in winter.

<i>Larix decidua</i>	European Larch	50' ht. X 30' spr.	Unusual deciduous conifer. Yellow fall color.
<i>Picea engelmannii</i>	Engelmann Spruce	60' ht. X 25' spr.	Bluish-green sharp-pointed needles. Large, narrow, densely pyramidal form.
<i>Picea glauca</i> 'Densata'	Black Hills Spruce	30' ht. X 15' spr.	Dense, slow growing, pyramidal form. Short dark green needles. Very hardy
<i>Picea pungens</i>	Colorado Spruce	60' ht. X 25' spr.	Pyramidal form. Blue, green & silver-blue available. Sharp-pointed needles
<i>Picea pungens</i> 'Baby Blue Eyes'	Baby Blue Eyes Spruce	20' ht. X 10' spr.	Compact pyramidal form. Silver-blue foliage on open layered branches.
<i>Picea pungens</i> 'Bakeri'	Bakeri Spruce	35' ht. X 15' spr.	Compact Colorado Spruce. Bright silver-blue needles. Sharp-pointed needles
<i>Picea pungens</i> 'Fastigiata'	Fastigiata Blue Spruce	20' ht. X 10' spr.	Upright, compact, columnar form. Striking steel-blue sharp-pointed needles.
<i>Picea pungens</i> 'Fat Albert'	Fat Albert Spruce	45' ht. X 30' spr.	Dense, pyramidal form. Silver-blue sharp-pointed needles. Grafted trees.
<i>Picea pungens</i> 'Hoopsii'	Hoopsii Blue Spruce	40' ht. X 18' spr.	Upright, often irregular form. One of the bluest Spruce thick needles
<i>Pinus aristata</i>	Bristlecone Pine/Foxtail Pine*	30' ht. X 15' spr.	Irregular bushy, habit. Short, dark green needles w/specks of resin
<i>Pinus bungeana</i>	Lacebark Pine*	40' ht. X 25' spr.	Dark green needles. Exfoliating bark shows white, green, brown patches.
<i>Pinus edulis</i>	Pinyon Pine*	25' ht. X 15' spr.	Dark green needles. Bushy, slow grower. Edible nuts. Do not over water.
<i>Pinus flexilis</i> 'Cesarini Blue'	Cesarini Blue Limber Pine	25' ht. X 13' spr.	Powdery blue color. Soft textural appearance.
<i>Pinus flexilis</i> 'Vanderwolf's Pyramid'	Vanderwolf's Limber Pine	25' ht. X 15' spr.	Soft, flexible bluish green needles. Densely branched pyramidal form.
<i>Pinus heldreichii</i> var. <i>leucodermis</i>	Bosnian Pine*	30' ht. X 15' spr.	Dark green needles hold on for 5-6 years. Slow-growing. Salt tolerant.
<i>Pinus leucodermis</i> 'Emerald Arrow'	Emerald Arrow Bosnian Pine	25' ht. X 12' spr.	Narrower form. Dark green needles and silver bark. Salt tolerant.
<i>Pinus nigra</i>	Austrian Pine*	50' ht. X 25' spr.	Long dark green needles. Fast grower. Withstands some over watering
<i>Pinus nigra</i> 'Oregon Green'	Oregon Green Austrian Pine	20' ht. X 15' spr.	Dark green needles. Pearly white candles that form in clusters. Slow grower
<i>Pinus strobiformis</i>	Southwestern White Pine	50' ht. X 30' spr.	Soft textured, blue-green needles. Silver-gray bark. Broad conical form.
<i>Pinus sylvestris</i>	Scotch Pine	50' ht. X 30' spr.	Reddish-orange bark. Short, twisted, blue-green needles. Gray-brown cones
<i>Pseudotsuga menziesii</i>	Douglas Fir	60' ht. X 25' spr.	Soft textured needles. Pyramidal form. Medium-fast grower. Distinct cones.
<i>Taxodium distichum</i>	Bald Cypress	50' ht. X 20' spr.	Deciduous conifer. Yellow fall color. Soft textured foliage. Unusual cones.

## DECIDUOUS SHRUBS

<i>Amelanchier alnifolia</i>	Saskatoon Serviceberry*	12' ht. X 8' spr.	Clusters of white flowers in spring. Yellow to soft red fall color.
<i>Amorpha canescens</i>	Leadplant*	3' ht. X 4' spr.	Violet flowers mid to late summer. Small oval gray-green leaflets.
<i>Atriplex canescens</i>	Four Wing Saltbush*	5' ht. X 4' spr.	Tiny fellow flowers at branch tips. Four-winged fruit on female plants.
<i>Berberis thunbergii</i> spp.	Barberry	Varies	Dense thorny shrub. Available in various sizes & colors: red, green, & yellow
<i>Buddleia davidii</i> spp.	Butterfly Bush	Varies	Arching stems with sprays of colorful flowers.
<i>Caragana arborescens</i> 'Sutherland'	Sutherland Peashrub*	15' ht. X 6' spr.	Columnar form. Sienna-brown bark adds winter interest.
<i>Caryopteris</i> × <i>clandonensis</i>	Blue Mist Spirea*	3' ht. X 3' spr.	Blue flowers June-September. Silvery foliage. Rounded form. Attract bees
<i>Caryopteris</i> × <i>clandonensis</i> 'Dark Knight'	Dark Knight Blue Mist Spirea*	3' ht. X 3' spr.	Darker silvery-green foliage. Dark blue flowers. Attracts bees.
<i>Cercocarpus intricatus</i>	Littleleaf Mountain Mahogany*	4' ht. X 4' spr.	Dense rounded form. Stiff intertwining branches. Tiny leaves.
<i>Cercocarpus montanus</i>	Mountain Mahogany*	8' ht. X 6' spr.	Open, spreading shrub w/gray-green leaves. Fuzzy twisted seed 'tails'.
<i>Chamaebatiara millefolium</i>	Fernbush*	5' ht. X 5' spr.	Fern-like leaves. Semi-evergreen. White flowers. Delicately aromatic.

<i>Chrysothamnus nauseosus</i>	Rabbitbrush*	4' ht. X 4' spr.	Silver-green leaves. Yellow flower clusters in late summer.
<i>Chrysothamnus nauseosus nauseosus</i>	Dwarf Blue Rabbitbrush*	3' ht. X 3' spr.	Smaller, compact form. Bluish-gray leaves. Yellow flower clusters.
<i>Cornus sericea</i> 'Bailey'	Red Twig Dogwood	8' ht. X 8' spr.	White flowers in spring. Bright red stems in winter. Burgundy-red fall color.
<i>Cornus sericea</i> 'Cardinal'	Cardinal Dogwood	8' ht. X 8' spr.	Cherry red twigs in winter. White spring flowers. Scarlet fall color.
<i>Cornus sericea</i> 'Kelsey'	Kelsey Dogwood	2.5' ht. X 2.5' spr	Compact mounded shape. Dark green foliage turns reddish-purple in fall.
<i>Cotoneaster apiculatus</i> 'Tom Thumb'	Tom Thumb Cotoneaster	1' ht. X 4' spr.	Low, spreading form. Small, rounded, glossy green leaves. Red fall color.
<i>Cotoneaster divaricatus</i>	Shrub Cotoneaster*	6' ht. X 6' spr.	Glossy dark green leaves. Arching stems. Small bright red fruit in fall.
<i>Cotoneaster horizontalis</i>	Rock Cotoneaster	2' ht. X 4' spr.	Low spreading semi-evergreen shrub. Small round leaves. Red berries in fall.
<i>Cotoneaster horizontalis perpusillus</i>	Ground Cotoneaster	1' ht. X 3' spr.	Low spreading form. Dark green leaves turn orange-red in fall. Red berries.
<i>Euonymus alatus</i>	Burning Bush	10' ht. X 10' spr.	Dark green leaves turn bright red in fall. Corky winged ridges on stems.
<i>Euonymus alatus</i> 'Compacta'	Dwarf Burning Bush	6' ht. X 6' spr.	Dwarf variety of Burning Bush. Needs protection.
<i>Euonymus fortunei</i> 'Coloratus'	Purpleleaf Wintercreeper	2' ht. X 4' spr.	Broadleaf evergreen. Dark green foliage turns purple-red in winter.
<i>Forestiera neomexicana</i>	New Mexico Privet*	12' ht. X 8' spr.	Dense rounded form. Yellow fall color. Tiny bluish-black summer fruit.
<i>Ligustrum vulgare</i> 'Cheyenne'	Cheyenne Privet*	8' ht. X 6' spr.	Fragrant white flowers in early summer. Poisonous fruit. Shears well.
<i>Perovskia artiplicifolia</i>	Russian Sage*	4' ht. X 4' spr.	Gray-green fragrant foliage. Bright blue-violet flowers in late summer. Bees
<i>Potentilla fruticosa</i> spp.	Potentilla	Varies	Upright to rounded forms. Various sizes and flower colors available.
<i>Prunus besseyi</i> 'Pawnee Buttes'	Pawnee Buttes Sand Cherry*	1.5' ht. X 6' spr.	Low spreading form. Fragrant white flowers. Reddish-purple fall color.
<i>Rhus aromatica</i> 'Grow-Low'	Dwarf Fragrant Sumac*	3' ht. X 8' spr.	Broad spreading form. Small fuzzy red fruit. Scarlet-orange fall color.
<i>Rhus trilobata</i>	Three Leaf Sumac*	6' ht. X 6' spr.	Three lobed dark green leaflets. Red-orange fall color. Red berries.
<i>Rhus trilobata</i> 'Autumn Amber'	Autumn Amber Sumac*	1.5' ht. X 7' spr.	Low spreading dense form. Amber to brick-red fall color.
<i>Ribes aureum</i>	Yellow Flowering Currant*	6' ht. X 6' spr.	Fragrant small yellow flowers. Pea-sized black fruit. Red fall color
<i>Rosa</i> 'Meicoublan'	White Meidiland Rose	2' ht. X 5' spr.	Mounding groundcover. Large white flowers June-frost. Mass plantings.
<i>Rosa</i> 'Meipsidue'	Fire Meidiland Rose	2' ht. X 4' spr.	Mounding groundcover. Bright red flowers May-October. Mass plantings.
<i>Rosa</i> × 'Meipitac'	Carefree Wonder Shrub Rose	3' ht. X 4' spr.	Large rich pink flowers from spring to fall. Good for mass plantings.
<i>Rubus deliciosus</i>	Boulder Raspberry*	5' ht. X 5' spr.	Vase-shaped. Exfoliating cinnamon colored branches. Yellow fall color.
<i>Salix exigua</i>	Coyote/Sand Bar Willow	10' ht. X 6' spr.	Gray-green foliage. Yellow branches. Yellow fall color. Prefers moisture.
<i>Salix purpurea</i> 'Nana'	Dwarf Artic Willow	8' ht. X 8' spr.	Blue-green foliage. Purplish twigs in winter. Prefers moisture.
<i>Spiraea japonica</i> 'Alpina'	Daphne Spirea	2' ht. X 3' spr.	Small blue-green leaves. Clusters of light pink flowers all summer.
<i>Spiraea japonica</i> 'Anthony Waterer'	Anthony Waterer Spirea	3' ht. X 4' spr.	Dense, compact rounded form. Small rose-red flowers in early summer.
<i>Spiraea japonica</i> 'Little Princess'	Little Princess Spirea	2' ht. X 3' spr.	Small dense form. Pink flowers in summer. Purplish red fall color
<i>Spiraea japonica</i> 'Neon Flash'	Neon Flash Spirea	3' ht. X 3' spr.	Neon-red flowers in summer. Purple tinted new growth. Reddish fall color.
<i>Spiraea nipponica</i> var. <i>tosaensis</i>	Cheyenne Snowmound Spirea	4' ht. X 4' spr.	White flowers in late spring. Dark green foliage. Rounded form.
<i>Spiraea trilobata</i> 'Fairy Queen'	Fairy Queen Spirea	3' ht. X 3' spr.	Profuse white flowers May and June. Small, three-lobed dark green leaves.
<i>Spiraea</i> × <i>vanhouttei</i> 'Renaissance'	Renaissance Spirea	6' ht. X 6' spr.	Fragrant white flowers covering arching branches in spring.

<i>Symphoricarpos</i> × <i>chenault</i> 'Hancock'	Hancock Coralberry	3' ht. X 7' spr.	Spreading habit. Erosion control on slopes. Pink flowers. Red berries.
<i>Syringa patula</i> 'Miss Kim'	Miss Kim Lilac*	7' ht. X 6' spr.	Fragrant single lilac-purple flower clusters late spring. Burgundy-red fall color
<i>Syringa vulgaris</i>	Common Purple Lilac*	14' ht. X 10' spr.	Fragrant, single, purple flower clusters in May. Heart-shaped leaves.
<i>Syringa vulgaris alba</i>	Common White Lilac*	14' ht. X 10' spr.	Fragrant single, white flower clusters in May. Heart-shaped leaves.
<i>Syringa vulgaris</i> 'Charles Joly'	Charles Joly Lilac*	12' ht. X 10' spr.	Fragrant, double, dark reddish-purple flower clusters in May.
<i>Syringa vulgaris</i> 'Katherine Havemeyer'	Katherine Havemeyer Lilac*	12' ht. X 10' spr.	Fragrant, double, lavender-pink flower clusters in May.
<i>Syringa vulgaris</i> 'Sensation'	Sensation Lilac*	10' ht. X 10' spr.	Fragrant, single, purple flowers with white margins in May.
<i>Syringa</i> × <i>hyacinthiflora</i> 'Mount Baker'	Mount Baker Lilac*	12' ht. X 10' spr.	Fragrant, single, white flower clusters in late April.
<i>Syringa</i> × <i>hyacinthiflora</i> 'Pocahontas'	Pocahontas Lilac*	10' ht. X 10' spr.	Fragrant, single, deep violet flower clusters in early May.
<i>Syringa</i> × <i>prestoniae</i> 'Donald Wyman'	Donald Wyman Lilac*	10' ht. X 8' spr.	Fragrant, single, reddish-purple flower clusters early-mid June.
<i>Syringa</i> × <i>prestoniae</i> 'James MacFarlane'	James MacFarlane Lilac*	10' ht. X 8' spr.	Fragrant, single, pink flower clusters in late May-June. Blooms at a young age
<i>Syringa</i> × <i>prestoniae</i> 'Minuet'	Minuet Lilac*	8' ht. X 6' spr.	Fragrant, single, light purple flower clusters in May.
<i>Syringa</i> × <i>prestoniae</i> 'Miss Canada'	Miss Canada Lilac*	9' ht. X 8' spr.	Fragrant, single, deep pink flower clusters in May. Non-suckering.
<i>Syringa</i> × <i>prestoniae</i> 'Royalty'	Royalty Lilac*	10' ht. X 6' spr.	Fragrant, single, reddish-purple flower clusters in late May-June.
<i>Viburnum carlesii</i>	Koreanspice Viburnum	6' ht. X 6' spr.	Intensely fragrant pink buds open to white flower clusters. Reddish fall color
<i>Viburnum dentatum</i>	Arrowwood Viburnum	10' ht. X 10' spr.	White flowers in June. Blue-black berries. Orange-red-purple fall color
<i>Viburnum dentatum</i> 'Christom'	Blue Muffin Viburnum	6' ht. X 6' spr.	Covered w/white flowers. Blue berries persist into winter. Yellow fall color
<i>Viburnum dentatum</i> 'Ralph Senior'	Autumn Jazz Viburnum	10' ht. X 10' spr.	White flowers in June. Blue-black berries. Orange-red-purple fall color.
<i>Viburnum lantana</i>	Wayfaring Tree Viburnum*	12' ht. X 8' spr.	Flat white flower clusters. Bright red fruit. Deep green leaves
<i>Viburnum lantana</i> 'Mohican'	Mohican Viburnum*	6' ht. X 6' spr.	Compact Wayfaring Tree Viburnum. White flowers. Orange-red fruit.
<i>Viburnum opulus</i> 'Compactum'	European Compact Cranberry	5' ht. X 5' spr.	Single white flowers in spring. Persistent scarlet fruit. Red fall color.
<i>Viburnum opulus</i> 'Nanum'	Dwarf European Cranberry	3' ht. X 3' spr.	Dense mounded form. Dark green leaves turn wine-red in fall.
<i>Viburnum trilobum</i> 'Compactum'	Dwarf American Cranberry	5' ht. X 5' spr.	Rounded form. Shiny, dark green leaves turn vibrant red in fall.
<i>Viburnum</i> × <i>burkwoodii</i>	Burkwood Viburnum	8' ht. X 8' spr.	Dark green leathery leaves. Semi-evergreen. Fragrant white flowers in spring

### EVERGREEN SHRUBS AND SPECIALTY EVERGREENS

<i>Arctostaphylos</i> 'Panchito'	Panchito Manzanita*	2' ht. X 4' spr.	Same characteristics as the Colorado Manzanita, except grows taller.
<i>Arctostaphylos</i> × <i>coloradensis</i>	Colorado Manzanita*	8" ht. X 4' spr.	Shell-pink flowers. Cinnamon-red to purple exfoliating bark.
<i>Arctostaphylos</i> × <i>coloradensis</i> 'Chieftain'	Chieftain Manzanita*	4' ht. X 9' spr.	Same characteristics as the Colorado Manzanita, except grows taller.
<i>Cytisus dallimorei</i> 'Lena'	Scotch Lena Broom*	3' ht. X 4' spr.	Rusty red and yellow blooms in late spring.
<i>Cytisus purgan</i> 'Spanish Gold'	Spanish Gold Broom*	4' ht. X 6' spr.	Slender green stems with gold flowers in late spring.
<i>Cytisus scoparius</i> 'Burkwoodii'	Burkwoodii Red Broom*	3' ht. X 4' spr.	Red flowers with a tinge of yellow in late spring.
<i>Cytisus scoparius</i> 'Moonlight'	Moonlight Broom*	5' ht. X 6' spr.	Glowing 'moonlight' yellow flowers all along the stems.
<i>Cytisus</i> × 'Lilac 'Time'	Lilac Time Broom*	3' ht. X 4' spr.	Lilac-pink flowers in late spring. Green branches year round.
<i>Cytisus</i> × 'Minstead'	Minstead Broom*	4' ht. X 5' spr.	White flowers with purple wings in late spring.

<i>Cytisus</i> × <i>praecox</i> 'Allgold'	Warminster Broom*	6' ht. X 6' spr.	Slender green stems. Small, bright yellow fragrant blooms.
<i>Euonymus fortunei</i> 'Emerald Gaiety'	Emerald Gaiety Euonymus	4' ht. X 4' spr.	Broadleaf evergreen. Dark green rounded leaves w/white margins.
<i>Euonymus fortunei</i> 'Emerald 'n Gold'	Emerald 'n Gold Euonymus	2' ht. X 4' spr.	Similar to Emerald Gaiety, but w/gold margins. Slow growing.
<i>Juniperus chinensis</i> 'Armstrongii'	Armstrong Juniper*	4' ht. X 4' spr.	Light green finely textured foliage. Symmetrical branching habit.
<i>Juniperus chinensis</i> 'Holbert'	Holbert Juniper*	3' ht. X 8' spr.	Silver-blue foliage holds its color through the winter. Low spreading.
<i>Juniperus communis</i> 'Effusa'	Effusa Juniper*	2' ht. X 6' spr.	Bright green foliage with whitish streaks.
<i>Juniperus communis</i> 'Green Carpet'	Green Carpet Juniper*	10" ht. X 6' spr.	Medium green foliage turns dark green in winter. Low spreading.
<i>Juniperus communis</i> 'Mondap'	Alpine Carpet*	8" ht. X 4' spr.	Deep blue, soft textured foliage. Low spreading.
<i>Juniperus horizontalis</i> 'Bar Harbor'	Bar Harbor Juniper*	8" ht. X 6' spr.	Gray-blue foliage turns a silver plum color in winter. Low spreading.
<i>Juniperus horizontalis</i> 'Blue Chip'	Blue Chip Juniper*	10" ht. X 7' spr.	Silver-blue foliage turns plum colored in winter. Low spreading.
<i>Juniperus horizontalis</i> 'Hughes'	Hughes Juniper*	18" ht. X 6' spr.	Silver-blue foliage turns a light purple color in winter. Low spreading.
<i>Juniperus horizontalis</i> 'Monber'	Icee Blue Juniper*	4" ht. X 8' spr.	Silver-blue foliage with distinctive purplish tips. Low spreading.
<i>Juniperus horizontalis</i> 'Mother Lode'	Mother Lode Juniper*	6" ht. X 5' spr.	New growth bright gold. Low spreading.
<i>Juniperus horizontalis</i> 'Prince of Wales'	Prince of Wales Juniper*	8" ht. X 9' spr.	Bright green foliage turns purple color in winter. Low wide spreading.
<i>Juniperus horizontalis</i> 'Taylors Blue'	Dry Ice Juniper*	3" ht. X 8' spr.	Steel blue foliage turns maroon in winter. Low spreading.
<i>Juniperus horizontalis</i> 'Wiltonii'	Wiltoni/Blue Rug Juniper*	6" ht. X 6' spr.	Blue foliage takes on a purple cast in winter. Low spreading.
<i>Juniperus horizontalis</i> 'Youngstown'	Andorra/Youngstown Juniper*	18" ht. X 6' spr.	Feathery light green foliage turns plum colored in winter.
<i>Juniperus procumbens</i> 'Green Mound'	Green Mound Juniper*	1' ht. X 7' spr.	Cushion-like low spreading form. Dense blue-green foliage.
<i>Juniperus sabina</i> 'Arcadia'	Arcadia Juniper*	2' ht. X 4' spr.	Bright green lacy foliage.
<i>Juniperus sabina</i> 'Broadmoor'	Broadmoor Juniper*	1' ht. X 5' spr.	Dense low mounding form. Graceful soft green foliage.
<i>Juniperus sabina</i> 'Buffalo'	Buffalo Juniper*	1' ht. X 6' spr.	Bright green foliage. Low spreading form.
<i>Juniperus sabina</i> 'Monna'	Calgary Carpet Juniper*	9" ht. X 9' spr.	Feathery soft green foliage. Low wide spreading form.
<i>Juniperus sabina</i> 'Scandia'	Scandia Juniper*	18" ht. X 6' spr.	Feathery bright green foliage. Low spreading form.
<i>Juniperus sabina</i> 'Sierra Spreader'	Sierra Spreader*	1' ht. X 8' spr.	Soft green foliage. Wide spreading form.
<i>Juniperus sabina</i> 'Tamariscifolia'	Tammy Juniper*	4' ht. X 7' spr.	Feathery, mounding growth habit. Light green or blue-green all year.
<i>Juniperus scopulorum</i> 'Table Top Blue'	Table Top Blue Juniper*	6' ht. X 8' spr.	Silver-blue foliage. Flat-top, wide spreading habit. Waxy dark blue fruit.
<i>Juniperus squamata</i> 'Blue Star'	Blue Star Juniper*	2' ht. X 5' spr.	Silver-blue foliage. Dense form. Prefers shade.
<i>Juniperus virginiana</i> 'Grey Owl'	Grey Owl Juniper*	18" ht. X 6' spr.	Finely textured silver-blue foliage turns purple in winter. Low spreading.
<i>Juniperus</i> × <i>media</i> 'Old Gold'	Old Gold/Gold Coast Juniper*	3' ht. X 4' spr.	Compact form. Golden foliage.
<i>Juniperus</i> × <i>media</i> 'Sea Green'	Sea Green Juniper*	8' ht. X 7' spr.	Rich green foliage. Branches flare outward. Somewhat vase shaped.
<i>Mabonia aquifolium</i>	Oregon Grape Holly*	6' ht. X 6' spr.	Green holly-like foliage. Yellow spring flowers. Blue colored berries.
<i>Mabonia aquifolium</i> 'Compacta'	Compact Oregon Grape Holly*	3' ht. X 5' spr.	Dwarf variety of Oregon Grape Holly.
<i>Mabonia aquifolium</i> 'Kings Ransom'	Kings Ransom Grape Holly*	6' ht. X 6' spr.	Yellow spring flowers. Blue-green leaves turn maroon in fall.
<i>Mabonia repens</i>	Creeping Oregon Grape Holly*	18" ht. X 2' spr.	Yellow flowers. Blue colored berries. Foliage turns red in winter.

<i>Picea abies</i> 'Pumila'	Dwarf Norway Spruce	4' ht. X 6' spr.	Short blue-green needles, dense branching, mound shaped, slow grower.
<i>Picea pungens</i> 'Globosa'	Dwarf Globe Blue Spruce	4' ht. X 5' spr.	Bright blue needles. Densely branched, compact, globe-shape. Slow grower.
<i>Picea pungens</i> 'Mesa Verde'	Mesa Verde Spruce	3' ht. X 6' spr.	Spreading, low-growing, uniform habit. Bright green needles.
<i>Picea pungens</i> 'Montgomery'	Montgomery Spruce	8' ht. X 8' spr.	Broadly pyramidal form. Bright blue needles. Slow growing.
<i>Picea pungens</i> 'St. Mary's Broom'	St. Mary's Blue Spruce	3' ht. X 4' spr.	Bright blue needles. Mounding form. Slow growing.
<i>Pinus mugo</i> 'Mops'	Mops Mugo Pine	4' ht. X 4' spr.	Densely compact, globe form of Mugo Pine. Tight green needles.
<i>Pinus mugo</i> 'Slowmound'	Slowmound Mugo Pine	4' ht. X 5' spr.	Another, dense compact form of Mugo Pine. Dark green needles.
<i>Pinus mugo</i> 'Whitebud'	Whitebud Mugo Pine	4' ht. X 5' spr.	Another, mounding selection. Waxy winter buds contrast to green needles.
<i>Thuja occidentalis</i> 'Little Giant'	Little Giant Arborvitae	6' ht. X 6' spr.	Globe shaped with rich green fan-shaped branches. Slow grower
<i>Thuja orientalis</i> 'Aurea Nana'	Golden Arborvitae	4' ht. X 4' spr.	Dense, oval shaped upright. Soft green foliage with yellow ends.

### UPRIGHT EVERGREENS

<i>Juniperus chinensis</i> 'Blue Point'	Blue Point Juniper*	10' ht. X 6' spr.	Keeps natural pyramidal upright form without shearing.
<i>Juniperus chinensis</i> 'Spartan'	Spartan*	18' ht. X 5' spr.	Rich green foliage. Pyramidal form. Fast growing.
<i>Juniperus chinensis</i> 'Spearment'	Spearment Juniper*	15' ht. X 5' spr.	Rich green foliage. Pyramidal form. Fast growing.
<i>Juniperus scopulorum</i> 'Cologreen'	Cologreen Upright Juniper*	18' ht. X 6' spr.	Rich green foliage. Small fleshy blue fruit.
<i>Juniperus scopulorum</i> 'Gray Gleam'	Gray Gleam Juniper*	15' ht. X 6' spr.	Fine blue-gray foliage, upright pyramidal form, no fruit, slow growing
<i>Juniperus scopulorum</i> 'Medora'	Medora Juniper*	12' ht. X 4' spr.	Dense blue-green foliage. Narrow upright form. Slow growing.
<i>Juniperus scopulorum</i> 'Moonglow'	Moonglow Juniper*	16' ht. X 6' spr.	Showy bright silver-blue foliage. Pyramidal form.
<i>Juniperus scopulorum</i> 'Skyrocket'	Skyrocket Juniper*	18' ht. X 5' spr.	Silver-blue foliage. Narrow upright form. Fast growing.
<i>Juniperus scopulorum</i> 'Wichita Blue'	Wichita Blue Juniper*	18' ht. X 6' spr.	Bright silver-blue foliage. Pyramidal form.
<i>Juniperus virginiana</i> 'Cupressifolia'	Hillspire Juniper*	18' ht. X 6' spr.	Bright green foliage. Small waxy fruit are a coppery-blue color.
<i>Picea abies</i> 'Cupressina'	Columnar Norway Spruce	20' ht. X 6' spr.	Narrow form. Short dark green needles. Withstands moderate snow loads.
<i>Picea abies</i> 'Sherwood Compact'	Sherwood Compact Spruce	12' ht. X 6' spr.	Narrow, pyramidal form w/upright branching. Short, medium green needles
<i>Picea glauca</i> 'North Star'	North Star Spruce	12' ht. X 6' spr.	Short rich green needles. Compact, upright form of Black Hills Spruce.
<i>Pinus leucodermis</i> 'Mint Truffle'	Mint Truffle Bosnian Pine	15' ht. X 8' spr.	Dense compact mint-green color. Broad teardrop shape. Well drained soils
<i>Thuja occidentalis</i> 'Emerald'	Emerald Arborvitae	15' ht. X 4' spr.	Dense feathery foliage, narrow upright growth habit.

### PERENNIALS

<i>Achillea</i> 'Moonshine'	Moonshine Yarrow*	2' ht. X 2' spr.	Sulfur-yellow flowers in summer. Grey-green foliage.
<i>Agastache</i> spp.	Hyssop*	Varies	Various colors and sizes available.
<i>Ajuga reptans</i> var.	Ajuga	Varies	Various colors and sizes available.
<i>Antennaria dioica</i> var.	Pussytoes*	3" ht. X 12" spr.	Woolly, gray-green spoon-like leaves. Small pink flowers. Butterflies
<i>Aster</i> 'Professor Kippenburg'	Kippenburg Fall Aster	15" ht. X 2' spr.	Dark green leaves. Blanketed w/blue daisy-like flowers Aug.-Sept.
<i>Aurinia saxatilis</i> ( <i>Alyssum saxatile</i> )	Basket of Gold*	1' ht. X 1' spr.	Gray-green foliage. Yellow flowers over entire plant April-May.



<i>Campanula persicifolia</i>	Peachleaf Bellflower	3' ht. X 18" spr.	Bright green leaves. Clusters of blue bell-shaped flowers July-August.
<i>Centaurea dealbata</i>	Pink Bachelor Button*	2' ht. X 2.5' spr.	Bright pink, feathery flowers May-June. Fern like gray-green foliage.
<i>Centranthus ruber</i>	Jupiter's Beard/Red Valerian*	3' ht. X 2' spr.	Heart-shaped fleshy leaves. Fragrant reddish-pink flowers June-September
<i>Cerastium tomentosum</i>	Snow-in-Summer*	8" ht. X 2' spr.	Downy silver-gray foliage. Snowy white flowers May-June.
<i>Cerastostigma plumbaginoides</i>	Leadwort/Plumbago	1' ht. X 2' spr.	Blue flowers June-Oct. Shiny green leaves turn burgundy-red in fall
<i>Coreopsis verticillata</i> 'Moonbeam'	Moonbeam Coreopsis*	2' ht. X 2' spr.	Creamy yellow flowers June-September. Thread-leaf foliage.
<i>Delosperma</i> spp.	Ice Plant*	Varies	Thick mat of succulent leaves. Various sizes and flower colors available.
<i>Echinacea purpurea</i>	Purple Coneflower*	30" ht. X 2' spr.	Broad clumps of dark leaves. Large lavender-purple flowers.
<i>Gaillardia aristata</i>	Native Blanket Flower*	2' ht. X 2' spr.	Large daisy-shaped lavender-red blooms with purple centers July-Sept.
<i>Gaura lindheimeri</i>	Whirling Butterflies*	30" ht. X 30" spr.	Willow-like leaves on wiry stems. White flowers resembling butterflies.
<i>Gazania linearis</i> 'Colorado Gold'	Hardy Colorado Gold Gazania*	3" ht. X 10" spr.	Large bright yellow flowers May to September. Deep green linear foliage.
<i>Hemerocallis</i> spp.	Daylily*	Varies	Grass-like foliage. Various flower colors available. Blooms all summer.
<i>Iberis sempervirens</i>	Candytuft*	1' ht. X 18" spr.	Narrow dark evergreen foliage. Tiny white flowers May-June.
<i>Iris x germanica</i> var.	Bearded Iris*	30" ht. X 18" spr.	Blade-like green foliage. Late spring blooms. Various colors available.
<i>Lavandula angustifolia</i> 'Munstead'	English Lavender*	18" ht. X 18" spr.	Aromatic gray-green foliage. Tiny lavender-blue flowers in spring.
<i>Leontopodium alpinum</i>	Edelweiss*	1' ht. X 1' spr.	Woolly gray foliage. Tiny silvery-white button-like flowers in spring.
<i>Liatris</i> spp.	Gayfeather*	Varies	Lavender-purple flowers on slender stalks in summer.
<i>Nepeta x faassenii</i>	Faassen's Catmint*	2' ht. X 2' spr.	Fragrant rippled soft gray leaves. Lavender flowers in summer.
<i>Penstemon</i> spp.	Penstemon*	Varies	Various sizes and colors available.
<i>Pericaria affinis</i>	Himalayan Border Jewel*	6" ht. X 2' spr.	Small light pink flowers June-July. Bronze foliage in winter..
<i>Phlox subulata</i> var.	Creeping Phlox*	6" ht. X 20" spr.	Assorted colors available. Showy masses of flowers April-May.
<i>Rudbeckia fulgida</i> 'Goldsturm'	Black-Eyed Susan*	2' ht. X 2' spr.	Golden-yellow flowers with dark brown/black centers summer-fall.
<i>Salvia sylvestris</i> x 'Mainacht'	May Night Salvia*	2' ht. X 18" spr.	Gray-green leaves. Violet-blue flowers all summer. Attracts butterflies.
<i>Santolina chamaecyparissus</i>	Lavender Cotton*	18" ht. X 2' spr.	Fragrant silver-gray foliage. Button-like yellow flowers mid summer.
<i>Saponaria ocymoides</i>	Soapwort*	6" ht. X 18" spr.	Low spreading form. Bright pink flowers May-June.
<i>Scabiosa columbaria</i> 'Butterfly Blue'/'Pink Mist'	Pincushion Flower	2' ht. X 2' spr.	Lavender-blue or pink flowers June-August. Attracts butterflies.
<i>Sedum</i> spp.	Sedum/Stonecrop*	Varies	Fleshy succulent leaves. Various sizes and flower colors available.
<i>Sempervivum</i> spp.	Hens and Chicks*	Varies	Fleshy succulent leaves. Various sizes and flower colors available.
<i>Tanacetum densum amani</i>	Partridge Feather*	1' ht. X 1' spr.	Silvery-white foliage. Button-like yellow flowers in early summer.
<i>Thymus praecox</i> var.	Thyme*	2" ht. X 18" spr.	Low creeping stems. Various flower colors available.
<i>Veronica</i> 'Crystal River'	Crystal River Speedwell	3" ht. X 30" spr.	Evergreen groundcover. Tiny blue flowers in spring & scattered till fall.
<i>Veronica livanensis</i>	Turkish Speedwell*	2" ht. X 18" spr.	Dense mat of small glossy dark green leaves. Deep blue flowers.
<i>Veronica repens</i>	Creeping Speedwell	3" ht. X 18" spr	Low trailing stems w/ bright green leaves. Bell-shaped sky-blue flowers.
<i>Veronica spicata</i> 'Goodness Grows'	Goodness grows Speedwell	14" ht. X 14" spr	Deep blue flower June-August. Mounded form w/lance-shaped leaves.

<i>Veronica spicata</i> 'Red Fox'	Red Fox Speedwell	16" ht. X 16" spr.	Rich green foliage. Vibrant rosy-red flowers mid-summer.
-----------------------------------	-------------------	--------------------	--

## ORNAMENTAL GRASSES

<i>Andropogon gerardii</i>	Big Bluestem Grass*	6' ht. X 3' spr.	Blue-green leaves turn to bronze-red in the fall.
<i>Andropogon (Bothriochloa) saccharoides</i>	Silver Bluestem Grass*	3' ht. X 2' spr.	Puffy, silver-white seedheads. Red/purple/orange fall color.
<i>Bouteloua curtipendula</i>	Sideoats Grama Grass*	3' ht. X 2' spr.	Narrow blue-green leaf blades. Flowers & seeds on one-side of stem.
<i>Bouteloua gracilis</i>	Blue Grama Grass*	2' ht. X 2' spr.	One-sided flowers/seedheads that curl down like eyelashes.
<i>Calamagrostis acutiflora</i> 'Karl Foerster'	Feather Reed Grass	5' ht. X 2' spr.	Upright clump. Slender rich green blades. Pinkish plumes fade to buff.
<i>Calamagrostis acutiflora</i> 'Overdam'	Variegated Feather Reed Grass	3' ht. X 2' spr.	Creamy-white and medium green variegated leaves. Sand colored plumes
<i>Chasmanthium latifolium</i>	Northern Sea Oats	3' ht. X 2' spr.	Wide deep green blades. Clusters of drooping oat-like seeds summer-fall.
<i>Deschampsia cespitosa</i>	Hair Grass*	3' ht. X 2' spr.	Very fine hair-like texture. Dark green foliage. Forms neat tufted clump.
<i>Festuca glauca</i>	Blue Fescue Grass*	10" ht. X 10" spr.	Blue tufts of wiry hair-like foliage. Tan seed heads.
<i>Festuca glauca</i> 'Boulder Blue'	Boulder Blue Fescue Grass*	10" ht. X 10" spr.	Blue tufts of wiry hair-like foliage. 15" tan seed heads in summer.
<i>Festuca glauca</i> 'Elijah Blue'	Elijah Blue Fescue*	10" ht. X 10" spr.	Round mounded form. Powdery blue foliage. Tan seed heads in summer.
<i>Helictotrichon sempervirens</i>	Blue Avena Grass/Oat Grass*	3' ht. X 2' spr.	Powder blue foliage. Oat-like seed heads into winter.
<i>Imperata cylindrica</i> 'Red Baron'	Japanese Blood Grass	18" ht. X 2' spr.	Green blades at base w/blood red tips. Color intensifies in fall.
<i>Miscanthus sinensis</i> 'Gracillimus'	Maiden Grass	7' ht. X 4' spr.	Broad clump of thin rich green blades. Creamy-white feather seed plumes
<i>Miscanthus sinensis</i> 'Graziella'	Graziella Maiden Grass	5' ht. X 3' spr.	Similar to 'Gracillimus' but flowers several weeks earlier.
<i>Miscanthus sinensis</i> 'Purpurescens'	Purple/Flame Maiden Grass	4' ht. X 2' spr.	Green blades turn reddish-purple in late summer. Fan-like seed plumes.
<i>Miscanthus sinensis</i> 'Yaku Jima'	Dwarf Maiden Grass	4' ht. X 3' spr.	Compact clump. Rich green leaves. Creamy white, silky seed plumes.
<i>Miscanthus sinensis</i> 'Zebrinus'	Zebra Grass	7 ht. X 5' spr.	Banded variegation of golden bars. Silvery-white plumes fade to buff.
<i>Muhlenbergia capillaries</i> 'Regal Mist'	Regal Mist Muhly Grass*	4' ht. X 3' spr.	Fine textured leaves. Rosy-red flower spikes in late summer.
<i>Nessella (Stipa) tenuissima</i>	Mexican Feather Grass*	3' ht. X 2' spr.	Very fine thread-like green leaves. Narrow seed heads. Annual but reseeds
<i>Oryzopsis (Achnatherum) hymenoides</i>	Indian Rice Grass*	2' ht. X 2' spr.	Narrow arching leaves. Light airy flower heads.
<i>Panicum virgatum</i> 'Heavy Metal'	Heavy Metal Blue Switch Grass	5' ht. X 2' spr.	Upright metallic-blue foliage. Delicate seed heads.
<i>Panicum virgatum</i> 'Shenandoah'	Shenandoah Red Switch Grass	4' ht. X 2' spr.	Leaves display tones of dark red all summer, becomes wine-colored in fall
<i>Pennisetum alopecuroides</i> 'Hameln'	Dwarf/Hardy Fountain Grass*	2' ht. X 2' spr.	Long arching bright green leaves. Cream colored seed heads.
<i>Pennisetum alopecuroides</i> 'Little Bunny'	Little Bunny Fountain Grass*	1' ht. X 1' spr.	Compact variety of Dwarf Fountain Grass.
<i>Pennisetum orientale</i> 'Karley Rose'	Karley Rose Fountain Grass	3' ht. X 2' spr.	Smokey-rose colored foxtail-like plumes.
<i>Schizachyrium scoparium</i>	Little Bluestem*	4' ht. X 2' spr.	Upright clumps of blue-gray foliage turn red to orange in the fall.
<i>Sorghastrum nutans</i>	Indian Grass*	6' ht. X 3' spr.	Upright arching blue-green foliage. Tan flowers. Purple fall color.
<i>Sorghastrum nutans</i> 'Indian Steel'	Indian Steel Indian Grass*	6' ht. X 3' spr.	Steel-blue upright foliage. Tan flowers. Yellow to bronze fall color.
<i>Sporobolus heterolepis</i>	Prairie Dropseed Grass*	3' ht. X 3' spr.	Upright, emerald green fine-textured foliage. Pumpkin-orange fall color.
<i>Sporobolus wrightii</i>	Giant Sacaton Grass*	6' ht. X 3' spr.	Blue-green foliage. Blooms late summer-fall. Pumpkin-orange fall color.

## VINES

<i>Clematis terniflora</i>	Sweet Autumn Clematis*	20-30 foot height	Aromatic, single, white flowers late summer-fall. Bright green leaves.
<i>Lonicera</i> 'Mandarin'	Mandarin Honeysuckle	10-20 foot height	Clusters of orange-pink tubular flowers late spring through summer.
<i>Lonicera japonica</i> 'Halliana'	Hall's Honeysuckle*	10-20 foot height	Fragrant white & yellow flowers June-Sept. Purplish fall color.
<i>Lonicera periclymenum</i> 'Harlequin'	Harlequin Honeysuckle	10-20 foot height	Fragrant rose-purple flowers. Variegated irregular serrated leaves.
<i>Lonicera prolifera</i> 'Kintzley's Ghost'	Kintzley's Ghost Honeysuckle	10-20 foot height	Blue-green leaves. Pale yellow flowers. Distinct ghostly white bracts.
<i>Lonicera</i> × <i>brownii</i> 'Dropmore Scarlet'	Dropmore Honeysuckle	20 foot height	Orange-scarlet flowers all summer. Attract hummingbirds.
<i>Parthenocissus quinquefolia engelmannii</i>	Virginia Creeper/Engleman Ivy*	30-40 foot height	Very hardy. Brilliant red fall color. Small blue-black fruit. Fast growing.
<i>Polygonum</i> ( <i>Fallopia</i> ) <i>aubertii</i>	Silver Lace Vine*	10-15 foot height	Small white flowers in summer. Green heart-shaped foliage. Fast growing.

## PROHIBITED SPECIES

<i>Acer negundo</i>	Boxelder (weak wood; insect issues)
<i>Acer rubrum</i>	Red maple (chlorosis problems)
<i>Acer saccharinum</i>	Silver Maple (weak wood; susceptible to storm damage)
<i>Acer</i> × <i>freemanii</i> 'Jeffersred' Autumn Blaze	Autumn Blaze Maple (weak wood; chlorosis problems; susceptible to storm damage)
<i>Ailanthus altissima</i>	Tree of Heaven (weak wood; susceptible to storm damage)
<i>Elaeagnus angustifolia</i>	Russian Olive (on the Colorado noxious weed list)
<i>Fraxinus</i> spp.	All species in the genus <i>Fraxinus</i> (numerous insect problems; susceptible to storm damage), including but not limited to Autumn Purple Ash ( <i>Fraxinus americana</i> 'Junginger' Autumn Purple®), Marshall Green Ash ( <i>Fraxinus pennsylvanica</i> 'Marshall'), Patmore Green Ash, ( <i>Fraxinus pennsylvanica</i> 'Patmore'), Summit Green Ash, ( <i>Fraxinus pennsylvanica</i> 'Summit') and Black Ash ( <i>Fraxinus nigra</i> )
<i>Gleditsia triacanthos inermis</i> 'Sunburst'	Sunburst Honeylocust (sunscald; disease and canker problems)
<i>Populus</i> spp.	Cottonwood (weak wood; susceptible to storm damage)
<i>Prunus cerasifera</i> 'Newport'	Newport Plum (insect problems, chlorosis)
<i>Prunus virginiana</i>	Chokecherry, all varieties (suckers excessively)
<i>Robinia pseudoacacia</i> 'Purple Robe'	Purple Robe Locust (weak wood; susceptible to storm damage)
<i>Salix</i> spp.	Willow - tree forms (weak wood; susceptible to storm damage)
<i>Sorbus aucuparia</i>	Mountain Ash (sunscald, fireblight)
<i>Ulmus pumila</i>	Siberian Elm (insect problems, branch litter)

\* XERIC SPECIES (An exclusively xeric plant list is also available: Town of Parker Xeric Plant List)

PLANT SELECT® SPECIES MAY ALSO BE UTILIZED. <http://plantsselect.org/>

EVERY LANDSCAPE PLAN MUST INCORPORATE SPECIES DIVERSITY.

ALWAYS VERIFY PLANT AVAILABILITY WITH SEVERAL NURSERIES.